

## Company Sponsored

1. Angka, L, and Auer, RC (2018).  
ASO Author Reflections: Prolonged Immunoparalysis of NK Cells After Surgery.  
Ann Surg Oncol, 25(s3), 968–969. Epub 2018 Oct 4.  
<http://doi.org/10.1245/s10434-018-6793-y>
2. Angka, L, Martel, AB, Kilgour, M, Jeong, A, Sadiq, M, de Souza, CT, et al. (2018).  
Natural Killer Cell IFN $\gamma$  Secretion is Profoundly Suppressed Following Colorectal Cancer Surgery.  
Ann Surg Oncol, 25(12), 3747–3754. Epub 2018 Sep 5.  
<http://doi.org/10.1245/s10434-018-6691-3>
3. Barkin J, Rodriguez-Suarez R, Betito K (2017).  
Association between natural killer cell activity and prostate cancer: a pilot study.  
Can J Urol. 2017 Apr;24(2):8708–8713.  
PubMed PMID: 28436356.
4. Jobin, G, Rodriguez-Suarez, R, & Betito, K (2017).  
Association Between Natural Killer Cell Activity and Colorectal Cancer in High-Risk Subjects Undergoing Colonoscopy.  
Gastroenterology 153(4), 980–987. Epub 2017 Jun 15.  
<http://doi.org/10.1053/j.gastro.2017.06.009>
5. Koo, KC, Shim, DH, Yang, CM, Lee, S-B, Kim, SM, Shin, TY, et al. (2013).  
Reduction of the CD16–CD56bright NK Cell Subset Precedes NK Cell Dysfunction in Prostate Cancer. PloS One, 8(11), e78049–8.  
<http://doi.org/10.1371/journal.pone.0078049>
6. Lee, S.-B., Cha, J., Kim, I.-K., Yoon, J. C., Lee, H. J., Park, S. W., et al. (2014).  
A high-throughput assay of NK cell activity in whole blood and its clinical application.  
Biochemical and Biophysical Research Communications, 445(3), 584–590. Epub 2014 Feb 18.  
<http://doi.org/10.1016/j.bbrc.2014.02.040>
7. Lim, YA, Kim, SS, Cho, SW, & Cheong, JY (2016).  
Evaluation of the Effectiveness of NK Vue Gold Kit in Patients with Chronic Hepatitis B.  
J Lab Med Qual Assur 38(3), 151–158. Epub 2016 Sep 30.  
<http://doi.org/10.15263/jlmqa.2016.38.3.151>
8. Nederby, L, Jakobsen, A, Hokland, M, & Hansen, TF (2018).  
Quantification of NK cell activity using whole blood: Methodological aspects of a new test.  
J Immunol Methods 458, 21–25. Epub 2018 Apr 12.  
<http://doi.org/10.1016/j.jim.2018.04.002>

9. Choi, SI, Lee, SH, Park, J-Y, Kim, K-A, Lee, EJ, Lee, SY, & In, KH (2019).  
Clinical utility of a novel natural killer cell activity assay for diagnosing non-small cell lung cancer: a prospective pilot study.  
*Onco Targets Ther* 12, 1661–1669.  
<http://doi.org/10.2147/OTT.S194473>
10. Kang HJ, Bae K, Kim JH, Cho CK, Yoo HS (2017).  
Correlation Between Natural Killer Cell Activity and Systemic Inflammatory Markers for Heterogeneous Cancer Patients Treated With Wheel Balance Cancer Therapy.  
*Integr Cancer Ther*. 2018 Jun;17(2):322–331. Epub 2017 Jul 17.  
<http://doi.org/10.1177/1534735417717789>
11. Kim, JH, Park, K, Lee, SB, Kang, S, Park, JS, Ahn, CW, & Nam, JS (2019).  
Relationship between natural killer cell activity and glucose control in patients with type 2 diabetes and prediabetes.  
*J Diabetes Investig*, 8:228–6.  
<http://doi.org/10.1111/jdi.13002>
12. Vidal AC, Howard LE, Wiggins E, De Hoedt AM, Shiao SL, Knott S, Taioli E, Fowke JH, Freedland SJ (2019)  
Natural killer cell activity and prostate cancer risk in veteran men undergoing prostate biopsy.  
*Cancer Epidemiol*. 62:101578. [Epub ahead of print 1 Aug 2019] PMID: 31377571.  
<http://doi.org/10.1016/j.canep.2019.101578>

## Independent

13. Han, JW, Choi, H, Jeon, Y-H, Yoon, CH, Woo, J-M, & Kim, W (2016).  
The Effects of Forest Therapy on Coping with Chronic Widespread Pain: Physiological and Psychological Differences between Participants in a Forest Therapy Program and a Control Group.  
*Int J Environ Res Public Health*, 13(3), 255–13.  
<http://doi.org/10.3390/ijerph13030255>
14. Hansen, TF, Nederby, L, Zedan, AH, Mejlholm, I, Henriksen, JR, Steffensen, KD, Thomsen, CB, Raunkilde, L, Jensen, LH, Jakobsen, A  
Correlation Between Natural Killer Cell Activity and Treatment Effect in Patients with Disseminated Cancer  
<https://doi.org/10.1016/j.tranon.2019.04.002>
15. Jung, YS, Kwon, M-J, Park, DI, Sohn, CI, & Park, JH (2018a).  
Association between natural killer cell activity and the risk of colorectal neoplasia.  
*J Gastroenterol Hepatol* 33(4), 831–836. Epub 2018 Feb 6.  
<http://doi.org/10.1111/jgh.14028>

16. Jung, YS, Park, JH, Park, DI, Sohn, CI, Lee, JM, & Kim, TI (2018b). Physical Inactivity and Unhealthy Metabolic Status Are Associated with Decreased Natural Killer Cell Activity. *Yonsei Med J*, 59(4), 554-562.  
<http://doi.org/10.3349/ymj.2018.59.4.554>
17. Kim, B-R, Chun, S, Cho, D, & Kim, K-H (2018). Association of neutrophil-to-lymphocyte ratio and natural killer cell activity revealed by measurement of interferon-gamma levels in a healthy population. *J Clin Lab Anal*, 33(1), e22640-7. Epub 2018 Aug 13.  
<http://doi.org/10.1002/jcla.22640>
18. Kim, CK, Choi, YM, Bae, E, Jue, MS, So, HS, & Hwang, E-S. (2018). Reduced NK cell IFN- $\gamma$  secretion and psychological stress are independently associated with herpes zoster. *PloS One*, 13(2), e0193299-13.  
<http://doi.org/10.1371/journal.pone.0193299>
19. Lee J, Park KH, Ryu JH, Bae HJ, Choi A, Lee H, Lim J, Han K, Park CH, Jung ES, Oh EJ (2017). Natural killer cell activity for IFN-gamma production as a supportive diagnostic marker for gastric cancer. *Oncotarget*. 2017 Jul 31;8(41):70431-70440.  
<http://doi.org/10.18632/oncotarget.19712>
20. Song, W, Yu, JW, Jeong, BC, Seo, SI, Jeon, SS, Lee, HM, et al. (2018). The clinical usefulness of natural killer cell activity in patients with suspected or diagnosed prostate cancer: an observational cross-sectional study. *Onco Targets Ther*, 11:3883-3889.  
<http://doi.org/10.2147/OTT.S169094>